

SHEET 1 of 12



रिक्त है ति है ति है जिस है जो स्थान है ति ह


APPLN. FILING DATE: MARCH 16, 2001 TITLE: DOOR LOCK SYSTEM FOR VEHICLE INVENTOR(S): SHIGERU HAYAKAWA ET AL.

APPLICATION SERIAL NO: 000400-819 SHEET 2 of 12



TITLE: DOOR LOCK SYSTEM FOR VEHICLE INVENTOR(S): SHIGERU HAYAKAWA ET AL. APPLICATION SERIAL NO: 000400-819

SHEET 3 of 12



SHEET 4 of 12





Fig.x

SHEET 5 of 12



[図6]

that one that that are that that that it is the same also that that also





Fig. 6

SHEET 6 of 12



that the third that are fluid that that the third will be the fluid that

Fig. 7

APPLICATION SERIAL NO: 000400-819 SHEET 7 of 12





Fig. 8

SHEET 8 of 12




T-18.9

three days as a

The thing that after

SHEET 9 of 12



the state that the state said the state

Fig. 10

APPLN. FILING DATE: MARCH 16, 2001 TITLE: DOOR LOCK SYSTEM FOR VEHICLE INVENTOR(S): SHIGERU HAYAKAWA ET AL. APPLICATION SERIAL NO: 000400-819

SHEET 10 of 12




Fig. 11.

the the think the healt that the the the

goog control good girth off.

APPLN. FILING DATE: MARCH 16, 2001 TITLE: DOOR LOCK SYSTEM FOR VEHICLE **INVENTOR(S):** SHIGERU HAYAKAWA ET AL.

APPLICATION SERIAL NO: 000400-819 SHEET 11 of 2

27e 11c 12 11d 28 23b 26 23c 21 31d 23d

T-ig 12

then part the part then then are first that the first that

gen geng ag

Tig. 13